



Brussels, 4.12.2017  
COM(2017) 733 final

ANNEXES 1 to 2

**ANNEXES**

**to the**

**Proposal for a Council Regulation**

**amending Regulation (EU) No 1388/2013 opening and providing for the management of autonomous tariff quotas of the Union for certain agricultural and industrial products**

## ANNEX I

In the table in the Annex to Regulation (EU) No 1388/2013, the following rows are inserted following the order of the CN codes indicated in the second column of that table:

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2872	ex 2833 29 80	40	Cesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution containing by weight 48 % or more but not more than 52 % of cesium sulphate	1.1.-31.12.	160 tonnes	0 %
09.2874	ex 2924 29 70	87	Paracetamol (INN) (CAS RN 103-90-2)	1.1.-31.12.	20 000 tonnes	0 %
09.2878	ex 2933 29 90	85	Enzalutamide INN (CAS RN 915087-33-1)	1.1.-31.12.	1 000 kg	0 %
09.2880	ex 2933 59 95	39	Ibrutinib (INN) (CAS RN 936563-96-1)	1.1.-31.12.	5 tonnes	0 %
09.2886	ex 2934 99 90	51	Canagliflozin (INN) (CAS RN 928672-86-0)	1.1.-31.12.	10 tonnes	0 %
09.2876	ex 3811 29 00	55	Additives consisting of reaction products of diphenylamine and branched nonenes with: — by weight more than 28 %, but not more than 35 % of mononyldiphenylamine, and — by weight more than 50 % but not more than 65 % of 4,4-dinonyldiphenylamine, — by weight a total percentage of 2, 4-dinonyldiphenylamine and 4'-dinonyldiphenylamine of not more than 5 %, used for the manufacture of lubricating oils (2)	1.1.-31.12.	900 tonnes	0 %
09.2888	ex 3824 99 92	89	Mixture of tertiary alkyldimethyl amines containing by weight: — 60 % or more but not more than 80 % of dodecyldimethylamine (CAS RN 112-18-5), and — 20 % or more but not more than 30 % of dimethyl(tetradecyl)amine (CAS RN 112-75-4)	1.1.-31.12.	16 000 tonnes	0 %
09.2866	ex 7019 12 00 ex 7019 12 00	06 26	S glass stratifils (rovings): — composed of continuous glass filaments of 9 µm (±0,5 µm), — measuring 200 tex or more but not more than 680 tex, — not containing any calcium oxide, and — with a breaking strength of more than 3 550 Mpa determined by ASTM D2343-09 for use in the manufacture of aeronautics (2)	1.1.-31.12.	1 000 tonnes	0 %
09.2906	ex 7609 00 00	20	Aluminium tube or pipe fittings for affixing to radiators of motor bikes (2)	1.1.-31.12.	3 000 000 pieces	0 %
09.2909	ex 8481 80 85	40	Exhaust valve for use in the manufacture of motorcycle exhaust gas systems (2)	1.1.-31.12.	1 000 000 pieces	0 %
09.2910	ex 8708 99 97	75	Aluminium alloy support bracket, with mounting holes, whether or not with fixation nuts, for indirect connection of the gearbox to the car body for use in the manufacture of goods of Chapter 87	1.1.-31.12.	200 000 pieces	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2932	ex 9027 10 90	20	(2) Lambda sensors for permanent incorporation into motor cycle exhaust systems (2)	1.1.-31.12.	1 000 000 pieces	0 %.

(2) Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).

## ANNEX II

In the table in the Annex to Regulation (EU) No 1388/2013, the rows for the tariff quotas with order numbers 09.2828, 09.2929, 09.2704, 09.2842, 09.2844, 09.2671, 09.2846, 09.2723, 09.2848, 09.2870, 09.2662, 09.2850 and 09.2868 are replaced by the following:

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2828	2712 20 90		Paraffin wax containing by weight less than 0,75 % of oil	1.1.-31.12.	120 000 tonnes	0%
09.2929	2903 22 00		Trichloroethylene (CAS RN 79-01-6)	1.1.-31.12.	15 000 tonnes	0 %
09.2704	ex 2909 49 80	20	2,2,2',2'-Tetrakis(hydroxymethyl)-3,3'-oxydipropan-1-ol (CAS RN 126-58-9)	1.1.-31.12.	500 tonnes	0 %
09.2842	2932 12 00		2-Furaldehyde (furfuraldehyde)	1.1.-31.12.	10 000 tonnes	0 %
09.2844	ex 3824 99 92	71	Mixtures containing by weight: — 60 % or more but not more than 90 % of 2-chloropropene (CAS RN 557-98-2), — 8 % or more but not more than 14 % of (Z)-chloropropene (CAS RN 16136-84-8), — 5 % or more but not more than 23 % of 2-chloropropanol (CAS RN 75-29-6), — not more than 6 % of 3-chloropropene (CAS RN 107-01-1), and — not more than 1 % of ethyl chloride (CAS RN 75-00-3)	1.1.-31.12.	6 000 tonnes	0 %
09.2671	ex 3905 99 90	81	Poly(vinyl butyral)(CAS RN 63148-65-2): — containing by weight 17,5 % or more, but not more than 20 % of hydroxyl groups, and — with a median particle size (D50) of more than 0,6 mm	1.1.-31.12.	12 500 tonnes	0 %
09.2846	ex 3907 40 00	25	Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of not less than 98,5 % by weight, in the form of pellets or granules, with a luminous transmittance of not less than 88,5 %, measured using a test sample with a thickness of 4 mm at a wavelength of $\lambda = 400$ nm (according to ISO 13468-2)	1.1.-31.12.	2 000 tonnes	0 %
09.2723	ex 3911 90 19	10	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-4,4'-biphenylene)	1.1.-31.12.	3 500 tonnes	0 %
09.2848	ex 5505 10 10	10	Waste of synthetic fibres (including noils, yarn waste, and garnetted stock) of nylon or other polyamides (PA6 and PA66)	1.1.-31.12.	10 000 tonnes	0 %
09.2870	ex 7019 40 00 ex 7019 52 00	70 30	E-fibre glass fabrics: — having a weight of 20 g/m <sup>2</sup> or more, but not more than 214 g/m <sup>2</sup> , — impregnated with silane, — in rolls,	1.1.-31.12.2018	6 000 000 m	0 %

Order number	CN code	TARIC	Description	Quota period	Quota volume	Quota duty (%)
09.2662	ex 7410 21 00	55	<p>— having a humidity content by weight of 0,13 % or less, and</p> <p>— having not more than 3 hollow fibres out of 100 000 fibres,</p> <p>for the exclusive use in the manufacture of prepregs and copper clad laminates<sup>(2)</sup></p> <p>Plates:</p> <p>— consisting of at least one layer of fibreglass fabric impregnated with epoxide resin,</p> <p>— covered on one or both sides with copper foil with thickness of not more than 0,15 mm,</p> <p>— with a dielectric constant (DK) of less than 5,4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,</p> <p>— with a loss tangent of less than 0,035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2,</p> <p>— with a comparative tracking index (CTI) of 600 or more</p>	1.1.-31.12.	80 000 m <sup>2</sup>	0 %
09.2850	ex 8414 90 00	70	<p>Aluminium alloy compressor wheel with:</p> <p>— a diameter of 20 mm or more, but not more than 130 mm, and</p> <p>— a weight of 5 g or more, but not more than 800 g</p> <p>for use in the manufacture of combustion engines<sup>(2)</sup></p>	1.1.-31.12.	5 900 000 pieces	0 %
09.2868	ex 8714 10 90	60	<p>Pistons for suspension systems, having a diameter of not more than 55 mm, of sintered steel</p>	1.1.-31.12.	2 000 000 pieces	0 %

<sup>(2)</sup> Suspension of duties is subject to end-use customs supervision in accordance with Article 254 of Regulation (EU) No 952/2013 of the European Parliament and of the Council of 9 October 2013 laying down the Union Customs Code (OJ L 269, 10.10.2013, p. 1).